

# Prosthetics codes no longer requiring prior authorization

Effective date February 1, 2026

Code	Description
<b>L6000</b>	Partial hand, thumb remaining
<b>L6010</b>	Partial hand, little and/or ring finger remaining
<b>L6020</b>	Partial hand, no finger remaining
<b>L6028</b>	Partial hand, finger, and thumb prosthesis without prosthetic digit(s)/thumb, amputation at metacarpal level, including flexible or nonflexible interface, molded to patient model, including palm, for use without external power and/or passive prosthetic digit/thumb, not including inserts described by L6692
<b>L6029</b>	Upper extremity addition, test socket/interface, partial hand including fingers
<b>L6030</b>	Upper extremity addition, external frame, partial hand including fingers
<b>L6031</b>	Replacement socket/interface, partial hand including fingers, molded to patient model, for use with or without external power
<b>L6032</b>	Addition to upper extremity prosthesis, partial hand including fingers, ultralight material (titanium, carbon fiber or equal)
<b>L6033</b>	Addition to upper extremity prosthesis, partial hand including fingers, acrylic material
<b>L6034</b>	Partial hand, finger, and thumb prosthesis without prosthetic digit(s)/thumb, amputation at distal to metacarpal joint, including flexible or non-flexible interface, molded to patient model, for use without external power and/or passive prosthetic digit/thumb, not including inserts described by L6692
<b>L6035</b>	Single prosthetic digit, mechanical, can include metacarpophalangeal (MCP), proximal interphalangeal (PIP), and/or distal interphalangeal (DIP) joint(s), with or without locking mechanism, can include flexion or extension assist, any material, attachment, initial issue or replacement
<b>L6036</b>	Prosthetic thumb, mechanical, can include metacarpophalangeal (MCP), interphalangeal (IP) joint(s), with or without locking mechanism, can include flexion or extension assist, any material, attachment, initial issue or replacement
<b>L6037</b>	Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, partial hand including fingers
<b>L6038</b>	Addition to single prosthetic digit or thumb, mechanical, attachment, multiaxial and/or internal/external rotation/abduction/adduction mechanism, with or without locking feature, any material
<b>L6039</b>	Passive prosthetic digit or thumb prosthesis not including hand restoration partial hand, full or partial, custom made, any material, initial or replacement, per single passive prosthetic digit or thumb
<b>L6050</b>	Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad
<b>L6055</b>	Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad
<b>L6100</b>	Below elbow, molded socket, flexible elbow hinge, triceps pad
<b>L6110</b>	Below elbow, molded socket, flexible elbow hinge, triceps pad
<b>L6120</b>	Below elbow, molded double wall split socket, step-up hinges, half cuff
<b>L6130</b>	Below elbow, molded double wall split socket, stump activated locking hinge, half cuff
<b>L6200</b>	Elbow disarticulation, molded socket, outside locking hinge, forearm
<b>L6205</b>	Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm
<b>L6250</b>	Above elbow, molded double wall socket, internal locking elbow, forearm
<b>L6300</b>	Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
<b>L6310</b>	Shoulder disarticulation, passive restoration (complete prosthesis)
<b>L6320</b>	Shoulder disarticulation, passive restoration (shoulder cap only)
<b>L6350</b>	Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
<b>L6360</b>	Interscapular thoracic, passive restoration (complete prosthesis)
<b>L6370</b>	Interscapular thoracic, passive restoration (shoulder cap only)
<b>L6380</b>	Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow

# Prosthetics codes no longer requiring prior authorization

Effective date February 1, 2026

Code	Description
<b>L6382</b>	Immediate postsurgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow
<b>L6384</b>	Immediate postsurgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic
<b>L6386</b>	Immediate postsurgical or early fitting, each Additional cast change and realignment
<b>L6388</b>	Immediate postsurgical or early fitting, application of rigid dressing only
<b>L6400</b>	Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
<b>L6450</b>	Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
<b>L6500</b>	Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
<b>L6550</b>	Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
<b>L6570</b>	Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping
<b>L6580</b>	Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, Bowden cable control, USMC or equal pylon, no cover, molded to patient model
<b>L6582</b>	reparatory, wrist disarticulation or below elbow, single wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, Bowden cable control, USMC or equal pylon, no cover, direct formed
<b>L6584</b>	Preparatory, elbow disarticulation or above elbow, single wall plastic socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or equal pylon, no cover, molded to patient model
<b>L6586</b>	Preparatory, elbow disarticulation or above elbow, single wall socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or equal pylon, no cover, direct formed
<b>L6588</b>	Preparatory, shoulder disarticulation or interscapular thoracic, single wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, molded to patient model
<b>L6590</b>	Preparatory, shoulder disarticulation or interscapular thoracic, single wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, direct formed
<b>L6600</b>	Upper extremity additions, polycentric hinge, pair
<b>L6605</b>	Upper extremity additions, single pivot hinge, pair
<b>L6610</b>	Upper extremity additions, flexible metal hinge, pair
<b>L6611</b>	Addition to upper extremity prosthesis, external powered, Additional switch, any type
<b>L6615</b>	Upper extremity addition, disconnect locking wrist unit
<b>L6616</b>	Upper extremity addition, Additional disconnect insert for locking wrist unit, each
<b>L6620</b>	Upper extremity addition, flexion/extension wrist unit, with or without friction
<b>L6621</b>	Upper extremity prosthesis Addition, flexion/extension wrist with or without friction, for use with external powered terminal device
<b>L6623</b>	Upper extremity addition, spring assisted rotational wrist unit with latch release
<b>L6624</b>	Upper extremity addition, flexion/extension and rotation wrist unit
<b>L6625</b>	Upper extremity addition, rotation wrist unit with cable lock
<b>L6628</b>	Upper extremity addition, quick disconnect hook adapter, Otto Bock or equal
<b>L6629</b>	Upper extremity addition, quick disconnect lamination collar with coupling piece, Otto Bock or equal
<b>L6630</b>	Upper extremity addition, stainless steel, any wrist
<b>L6632</b>	Upper extremity addition, latex suspension sleeve, each
<b>L6635</b>	Upper extremity addition, lift assist for elbow
<b>L6637</b>	Upper extremity addition, nudge control elbow lock
<b>L6638</b>	Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow
<b>L6640</b>	Upper extremity additions, shoulder abduction joint, pair

# Prosthetics codes no longer requiring prior authorization

Effective date February 1, 2026

Code	Description
<b>L6641</b>	Upper extremity addition, excursion amplifier, pulley type
<b>L6642</b>	Upper extremity addition, excursion amplifier, lever type
<b>L6645</b>	Upper extremity addition, shoulder flexion-abduction joint, each
<b>L6646</b>	Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system
<b>L6647</b>	Upper extremity addition, shoulder lock mechanism, body powered actuator
<b>L6648</b>	Upper extremity addition, shoulder lock mechanism, external powered actuator
<b>L6650</b>	Upper extremity addition, shoulder universal joint, each
<b>L6655</b>	Upper extremity addition, standard control cable, extra
<b>L6660</b>	Upper extremity addition, heavy-duty control cable
<b>L6665</b>	Upper extremity addition, Teflon, or equal, cable lining
<b>L6670</b>	Upper extremity addition, hook to hand, cable adapter
<b>L6672</b>	Upper extremity addition, harness, chest or shoulder, saddle type
<b>L6675</b>	Upper extremity addition, harness, (e.g., figure of eight type), single cable design
<b>L6676</b>	Upper extremity addition, harness, (e.g., figure of eight type), dual cable design
<b>L6677</b>	Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow
<b>L6680</b>	Upper extremity addition, test socket, wrist disarticulation or below elbow
<b>L6682</b>	Upper extremity addition, test socket, elbow disarticulation or above elbow
<b>L6684</b>	Upper extremity addition, test socket, shoulder disarticulation or interscapular thoracic
<b>L6686</b>	Upper extremity addition, suction socket
<b>L6687</b>	Upper extremity addition, frame type socket, below elbow or wrist disarticulation
<b>L6688</b>	Upper extremity addition, frame type socket, above elbow or elbow disarticulation
<b>L6689</b>	Upper extremity addition, frame type socket, shoulder disarticulation
<b>L6690</b>	Upper extremity addition, frame type socket, interscapular-thoracic
<b>L6691</b>	Upper extremity addition, removable insert, each
<b>L6692</b>	Upper extremity addition, silicone gel insert or equal, each
<b>L6693</b>	Upper extremity addition, locking elbow, forearm counterbalance
<b>L6694</b>	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism
<b>L6695</b>	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism
<b>L6696</b>	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)
<b>L6697</b>	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)
<b>L6698</b>	Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert
<b>L6703</b>	Terminal device, passive hand/mitt, any material, any size
<b>L6704</b>	Terminal device, sport/recreational/work attachment, any material, any size
<b>L6706</b>	Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined
<b>L6707</b>	Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined
<b>L6708</b>	Terminal device, hand, mechanical, voluntary opening, any material, any size

# Prosthetics codes no longer requiring prior authorization

Effective date February 1, 2026

Code	Description
<b>L6709</b>	Terminal device, hand, mechanical, voluntary closing, any material, any size
<b>L6711</b>	Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined, pediatric
<b>L6712</b>	Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined, pediatric
<b>L6713</b>	Terminal device, hand, mechanical, voluntary opening, any material, any size, pediatric
<b>L6714</b>	Terminal device, hand, mechanical, voluntary closing, any material, any size, pediatric
<b>L6721</b>	Terminal device, hook or hand, heavy-duty, mechanical, voluntary opening, any material, any size, lined or unlined
<b>L6722</b>	Terminal device, hook or hand, heavy-duty, mechanical, voluntary closing, any material, any size, lined or unlined
<b>L6805</b>	Addition to terminal device, modifier wrist unit
<b>L6810</b>	Addition to terminal device, precision pinch device
<b>L6883</b>	Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power
<b>L6884</b>	Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power
<b>L6885</b>	Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power
<b>L6890</b>	Addition to upper extremity prosthesis, glove for terminal device, any material, prefabricated, includes fitting and adjustment
<b>L6895</b>	Addition to upper extremity prosthesis, glove for terminal device, any material, custom fabricated
<b>L6900</b>	Hand restoration (casts, shading and measurements included), partial hand, with glove, thumb or one finger remaining
<b>L6905</b>	Hand restoration (casts, shading and measurements included), partial hand, with glove, multiple fingers remaining
<b>L6910</b>	Hand restoration (casts, shading and measurements included), partial hand, with glove, no fingers remaining
<b>L6915</b>	Hand restoration (shading and measurements included), replacement glove for above
<b>L6920</b>	Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
<b>L6925</b>	Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectric control of terminal device
<b>L6930</b>	Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
<b>L6935</b>	Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectric control of terminal device
<b>L6940</b>	Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
<b>L6945</b>	Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectric control of terminal device
<b>L6950</b>	Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
<b>L6955</b>	Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectric control of terminal device
<b>L6960</b>	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
<b>L6965</b>	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectric control of terminal device

# Prosthetics codes no longer requiring prior authorization

Effective date February 1, 2026

Code	Description
<b>L6970</b>	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device
<b>L6975</b>	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectric control of terminal device
<b>L7040</b>	Prehensile actuator, switch controlled
<b>L7360</b>	Six volt battery, each
<b>L7362</b>	Battery charger, six volt, each
<b>L7364</b>	Twelve volt battery, each
<b>L7366</b>	Battery charger, 12 volt, each
<b>L7367</b>	Lithium ion battery, rechargeable, replacement
<b>L7368</b>	Lithium ion battery charger, replacement only
<b>L7400</b>	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, ultra-light material (titanium, carbon fiber or equal)
<b>L7401</b>	Addition to upper extremity prosthesis, above elbow disarticulation, ultra-light material (titanium, carbon fiber or equal)
<b>L7402</b>	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultra-light material (titanium, carbon fiber or equal)
<b>L7403</b>	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, acrylic material
<b>L7404</b>	Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material
<b>L7405</b>	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material
<b>L7406</b>	Addition to upper extremity prosthesis, user adjustable, mechanical, residual limb volume management system (with or without lamination kit)
<b>L7510</b>	Repair of prosthetic device, repair or replace minor parts
<b>L7520</b>	Repair prosthetic device, labor component, per 15 minutes